



TILE

+ LIGHT



Kano Ceramics - JAPAN

KITCHEN



Bud

97 x 97 mm



Stem




97 x 97 mm



Phase

97 x 97 mm

Synapse



DINING

Type	Item No.	Size (mm)	Weight (g)	Packing	LED Size w. tape (mm)	Input voltage (V)	Power (m W)	Electric current (m A)	Illumination (f.c)		Number of LED		
									Daylight	Tungsten			
Straight (Type A)	LB-A	98x98x (7+12)	187	10pcs /carton	99.6 × 31.6	DC 24	864	36	161Lx	147Lx	12		
Corner (Type B)	LB-B		B1 173	B2 182	10pcs /carton				Longer arc : 101.7 Shorter arc : 52.1 Width : 31.6	133Lx	119Lx	11	
Terminal (Type C)	LB-C		C1 184	C2 184	10pcs /carton				65.8 × 31.6	105Lx	83Lx	7	
Dot (Type D)	LB-D		168	10pcs /carton	Ø 39.8				432	18	47Lx	44Lx	5
Synapse (Type E)	LB-DC		Ø 97x (7+13)	160									
Flat	LB-100	98 × 98 × 7	167	50pcs / carton	Life of LED ————— 30,000 hour Color temperature — Daylight : 6000k Tungsten Lamp : 3500k Waterproof-ness ————— Splash proof (IP 54) Material ————— PrintIn board: a glass epoxy board Case : polycarbonate Connector ————— Water proof connector								
Circle	TL-C	Ø 97 (7+3.6)	137	58pcs / carton									
Phase	TL-P	97 × 97 (7+1.5)	152	50pcs / carton									
Bud	TL-B	97 × 97 (7+2)	147	50pcs / carton									
Stem	TL-S	97 × 97 (7+1.5)	143	50pcs / carton									
Synapse Plus	TL-SP	147 × 147 (7+3.5)	228	46pcs / carton									
Synapse Flat	TL-SF	147 × 147 (7~8)	229	46pcs / carton									
Synapse Minus	TL-SM	147 × 147 (7+3.5)	228	46pcs / carton									

www.ledtile.jp

www.tilelighting.com



KANO CERAMIC TILE CO., LTD.

1647-3 Kasahara, Tajimi
Gifu, 507-0901 JAPAN
Tel:+81 572 43 3161 Fax:+81 572 43 3162
E-mail: info@kano.co.jp



Designed by

